

# SHARPER IMAGE®

## 8-IN-1 EMERGENCY AUTO TOOL

Item No. 206562

User Guide



Thank you for purchasing the Sharper Image 8-In-1 Emergency Auto Tool. Please take a moment to read this guide and store it for future reference.

## IDENTIFICATION OF PARTS

- A. Digital tire gauge nozzle
- B. LED flashlight [white light]
- C. Emergency LED flasher [red light]
- D. Philips head screwdriver
- E. Flat head screwdriver
- F. Bottle opener
- G. Knife
- H. Automatic glass breaker
- I. Key chain
- J. Tire gauge power button
- K. LCD display
- L. LED light power button
- M. Belt clip [not shown]
- N. Battery door [2 preinstalled, replaceable AG13/LR44 alkaline button cell batteries — not shown]

## FUNCTIONS

### LED Flashlight / Emergency Flasher

Press the LED light power button once to activate the white LED flashlight [white light]. Press again to activate the emergency LED flasher [red light flashes “S.O.S.” in Morse Code]. Press a third time to turn LEDs off.

### AUTOMATIC GLASS BREAKER

In the event of an emergency, hold the device firmly by the body with the LED pointed toward you and the tip of the Automatic Glass Breaker against the window or windshield of your vehicle. Press the device slowly and firmly against the glass. When you have pressed it all the way, a spring-loaded metal point will be triggered to strike the glass with intense pressure. Repeat these steps until all the glass is broken and you can exit the vehicle. **WARNING: PLEASE USE EXTREME CAUTION. DO NOT “TEST” THIS FUNCTION ON YOUR BODY or on a car, or on any other property. This could cause extreme injury, or serious damage to your property. Use this feature only for its intended purpose and keep out of reach of children.**

### DIGITAL TIRE GAUGE

Press the tire gauge power button to measure tire pressure in PSI. Press it a second time to measure tire pressure in BAR. Press it a third time to measure in KPA. To read your tire pressure, press the digital tire gauge nozzle against the tire stem. The tire pressure will appear instantly on the LCD display and remain on the screen for about 15 seconds. After 15 seconds, the LCD display will return to 0.0 and turn off automatically to conserve battery power. You can also press the tire gauge power button for 3 seconds to turn it off manually.

## TIRE PRESSURE MEASUREMENT UNITS

| UNIT | DEFINITION   |
|------|--|
| PSI  | PSI, or “pounds per square inch,” is the unit commonly used in the U.S. to measure the pressure of gasses. |
| BAR  | The bar is a metric unit of pressure, equivalent to approximately 14.5 PSI.                                |
| KPA  | The kilopascal [kPa] is a unit of pressure measurement, equivalent to approximately 0.15 PSI.              |

## BATTERY REPLACEMENT

1. Remove the battery door screw to access the battery compartment. Note the position of the old batteries before removing them.
2. Replace depleted batteries with new AG13/LR44 alkaline button cell batteries. Do not mix old and new batteries.
3. Replace the battery door and secure it with the screw.
4. Dispose of used batteries immediately in accordance with local laws. Keep batteries out of the reach of children at all times.

## CAUTION

1. This device is not a toy. Keep out of reach of children at all times.
2. Do not use this device for anything other than its intended purposes.
3. This device has no user-serviceable parts. In the unlikely event of a malfunction or manufacturing defect, contact Sharper Image Customer Service for assistance.

## WARRANTY / CUSTOMER SERVICE

Sharper Image branded items purchased from SharperImage.com include a 1-year limited replacement warranty. If you have any questions not covered in this guide, please call our Customer Service department at 1 (877) 210-3449. Customer Service agents are available Monday through Friday, 9:00 a.m. to 6:00 p.m. ET.

**SHARPER IMAGE®**

The SHARPER IMAGE® name and logo are registered trademarks.

©Sharper Image. All Rights Reserved.